Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

In the Claims:

What is claimed is:

1. (Currently amended) A compound of formula (I):

$$(R)p \qquad (C)n \qquad (R^1)q \qquad (I)$$

wherein:

n is 0, 1, or 2;

t is 0 or 1;

X is -NH-, -O-, $-R^{10}$ -, $-R^{10}O$ -, $-R^{10}OR^{10}$ -, $-NR^{10}$ -, $-R^{10}N$ -, $-R^{10}NR^{10}$ -, $-R^{10}S(O)_mR^{10}$ -;

Y is -C(O)-or $-S(O)_m$ -;

each R is the same or different and is independently selected from the group consisting of

halogen, haloalkyl, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, $-R^{10}$ cycloalkyl, Ay, $-NHR^{10}$ Ay, Het, -NHHet, $-NHR^{10}$ Het, $-OR^2$, -OAy, -OHet, $-R^{10}OR^2$, $-NR^2R^3$, $-NR^2Ay$, $-R^{10}NR^2R^3$, $-R^{10}NR^2Ay$, $-R^{10}C(O)R^2$, $-C(O)R^2$, $-CO_2R^2$, $-R^{10}CO_2R^2$, $-C(O)NR^2R^3$, -C(O)Ay, $-C(O)NR^2Ay$, -C(O)Het, $-C(O)NHR^{10}Het$, $-R^{10}C(O)NR^2R^3$, $-C(S)NR^2R^3$, $-R^{10}C(S)NR^2R^3$, $-R^{10}NHC(NH)NR^2R^3$, $-C(NH)NR^2R^3$, $-R^{10}C(NH)NR^2R^3$, $-S(O)_2NR^2R^3$, $-S(O)_2NR^2Ay$, $-R^{10}SO_2NHCOR^2$, $-R^{10}SO_2NR^2$, $-S(O)_mR^2$, $-S(O)_mAy$, cyano, nitro, or azido;

each R¹ is the same or different and is independently selected from the group consisting of halogen, haloalkyl, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, -R¹⁰cycloalkyl, Ay, -NHR¹⁰Ay, Het, -NHHet, -NHR¹⁰Het, -OR², -OAy, -OHet,

 $-R^{10}OR^2$, $-NR^2R^3$, $-NR^2Ay$, $-R^{10}NR^2R^3$, $-R^{10}NR^2Ay$, $-R^{10}C(O)R^2$, $-C(O)R^2$, $-CO_2R^2$,

-R¹⁰CO₂R², -C(O)NR²R³, -C(O)Ay, -C(O)NR²Ay, -C(O)Het, -C(O)NHR¹⁰Het,

 $-R^{10}C(O)NR^2R^3$, $-C(S)NR^2R^3$, $-R^{10}C(S)NR^2R^3$, $-R^{10}NHC(NH)NR^2R^3$,

 $-C(NH)NR^2R^3$, $-R^{10}C(NH)NR^2R^3$, $-S(O)_2NR^2R^3$, $-S(O)_2NR^2Ay$, $-R^{10}SO_2NHCOR^2$,

 $-R^{10}SO_2NR^2R^3$, $-R^{10}SO_2R^2$, $-S(O)_mR^2$, $-S(O)_mAy$, cyano, nitro, or azido;

each m independently is 0, 1, or 2;

each R¹⁰ is the same or different and is independently selected from alkylene, cycloalkylene, alkenylene, cycloalkenylene, and alkynylene;

p and g are each independently selected from 0, 1, 2, 3, 4, or 5;

each of R² and R³ are the same or different and are independently selected from the group consisting of H, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, -R¹⁰cycloalkyl, -R¹⁰OH, -R¹⁰(OR¹⁰)_w, and -R¹⁰NR⁴R⁵;

w is 1-10;

each of R⁴ and R⁵ are the same or different and are independently selected from the group consisting of alkyl, cycloalkyl, alkenyl, cycloalkenyl, and alkynyl;

Ay represents an aryl group;

Het represents a 5- or 6-membered heterocyclyl or heteroaryl group;

ring A is aryl or heteroaryl;

provided that when the A ring is aryl, t is 0, and Y is SO₂, then p is not 0; or a pharmaceutically acceptable salt or solvate thereof.

- 2. (Original) The compound of claim 1 wherein alkyl is C_1 - C_6 alkyl, alkoxy is C_1 - C_6 alkoxy, haloalkyl is C_1 - C_6 haloalkyl, alkylene is C_1 - C_6 alkylene, and alkenylene is C_1 - C_6 alkenylene.
- 3. (Cancelled)
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Currently amended) The compound of claim 1 wherein t is 1, $\frac{Y \text{ is } S(O)_m}{}$, and X is -NH-, -O-, or $-R^{10}$.
- 7. (Cancelled)

- 8. (Original) The compound of claim 1 wherein p is 1 or more and R is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², cyano, nitro, or azido.
- 9. (Original) The compound of claim 8 wherein R is halogen, alkyl, haloalkyl.
- 10. (Original) The compound of claim 9 wherein R is substituted *para* to the depicted N atom.
- 11. (Original) The compound of claim 10 wherein R is halogen.
- 12. (Original) The compound of claim 11 wherein R is Br or Cl.
- 13. (Original) The compound of claim 1 wherein q is 1 or more and R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², Ay, Het, cyano, nitro, or azido.
- 14. (Original) The compound of claim 13 wherein R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², or cyano.
- 15. (Original) The compound of claim 14 wherein R² and R³ each are C₁-C₆ alkyl.
- 16. (Original) The compound of claim 14 wherein R¹ is selected from halogen, alkyl, or -OR².
- 17. (Original) The compound of claim 16 wherein said halogen is fluoro or chloro, said alkyl is methyl, and said –OR² is alkoxy.
- 18. (Cancelled)
- 19. (Cancelled)
- 20. (Original) The compound of claim 19 wherein q is 1 or more and R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², Ay, Het, cyano, nitro, or azido.
- 21. (Original) The compound of claim 20 wherein q is 1 or more and R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², or cyano.
- 22. (Original) The compound of claim 1 wherein the A ring is heteroaryl.
- 23. (Original) The compound of claim 22 wherein the heteroaryl is pyridyl.
- 24. (Original) The compound of claim 23 wherein q is 0 or 1.

- 25. (Previously presented) The compound of claim 24 wherein when q is 1, then R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², Ay, Het, cyano, nitro, or azido.
- 26. (Original) The compound of claim 25 wherein when q is 1, then R¹ is selected from halogen, alkyl, haloalkyl, -OR², -NR²R³, -C(O)R², -CO₂R², or cyano.
- 27. (Original) The compound of claim 1 wherein p is 1, R is halogen, n is 1, Y is C(O)-, t is 0, ring A is heteroaryl, and q is 0.
- 28. (Original) The compound of claim 27 wherein R is chloro and ring A is pyridyl.
- 29. (Original) A compound selected from:

30. (Currently amended) The compound of claim 1 selected from the group consisting of: *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-phenylurea; N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-(4-methoxyphenyl)urea; N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-(4-methoxy-2-methylphenyl)urea; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-(3-chloro-4-methoxyphenyl)urea; N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-N'-[4-(dimethylamino)phenyl]urea; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)benzamide; N-[(1R)-6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;N-[(1S)-6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;*N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-phenylacetamide; N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-vl)-3-phenylpropanamide: *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-phenylprop-2-enamide; Benzyl 6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-ylcarbamate; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2,6-dichlorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-fluorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methoxybenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-nitrobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-chlorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methylbenzamide; N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-(trifluoromethyl)benzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-fluorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methoxybenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methylbenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-fluorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-methoxybenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-nitrobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-chlorobenzamide; *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-methylbenzamide; *N*-(2,3,4,9-Tetrahydro-1*H*-carbazol-1-yl)benzamide;

N-(6-Methyl-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)benzamide;

- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)benzamide;
- N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;
- N-[(1S)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;
- N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-4-methylbenzenesulfonamide;
- *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)pyridine-2-carboxamide;
- *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)nicotinamide;
- *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-6-chloronicotinamide;
- *N*-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)isonicotinamide;
- N-Phenyl-N'-(2,3,4,9-tetrahydro-1H-carbazol-1-yl)urea;
- *N*-(6-Methyl-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-phenylurea;
- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-*N*'-phenylurea;
- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-pyridinecarboxamide;
- *N*-[(1*R*)-6-chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl]pyridine-2-carboxamide;
- *N*-[(1S)-6-chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl]pyridine-2-carboxamide;
- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-fluorobenzamide;
- *N*-[(1*R*)-6-chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl]-2-fluorobenzamide;
- *N*-[(1*S*)-6-chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl]-2-fluorobenzamide;
- *N*-(6-Chloro-2,3,4,9-te/trahydro-1*H*-carbazol-1-yl)-1-methyl-1*H*-imidazole-5-carboxamide;
- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-1-methyl-1*H*-pyrazole-5-carboxamide;
- *N*-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-1-methyl-1*H*-pyrazole-3-carboxamide;
- N-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-1*H*-imidazole-4-carboxamide;
- N-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-1*H*-pyrazole-3-carboxamide;
- N-(6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2,6-difluorobenzamide;
- N-(6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-fluorobenzenesulfonamide; and
- N-(6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2,6-difluorobenzenesulfonamide.

31. (Currently amended) The compound of claim 1 selected from the group consisting of:

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-N'-[4-(dimethylamino)phenyl]urea;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)benzamide;

N-[(1R)-6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-phenylprop-2-enamide;

Benzyl 6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-ylcarbamate;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-fluorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methoxybenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-nitrobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-chlorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methylbenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-(trifluoromethyl)benzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-3-fluorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methoxybenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methylbenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-fluorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-methylbenzamide;

N-(6-Methyl-2,3,4,9-tetrahydro-1H-carbazol-1-yl)benzamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)benzamide;

N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-4-methylbenzenesulfonamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)pyridine-2-carboxamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)nicotinamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-6-chloronicotinamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)isonicotinamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-pyridinecarboxamide;

N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]pyridine-2-carboxamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-fluorobenzamide;

N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]-2-fluorobenzamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-1H-imidazole-4-carboxamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-1*H*-pyrazole-3-carboxamide; N-(6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2,6-difluorobenzamide; N-(6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-fluorobenzenesulfonamide; and N-(6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2,6-difluorobenzenesulfonamide.

32. (Currently amended) The compound of claim 1 selected from the group consisting of:

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)benzamide;

N-[(1R)-6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;

Benzyl 6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-ylcarbamate;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-fluorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methoxybenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-nitrobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-chlorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methylbenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-fluorobenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methoxybenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-3-methylbenzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-fluorobenzamide;

N-(6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)benzamide;

N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]benzamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-4-methylbenzenesulfonamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)pyridine-2-carboxamide;

N-(6-Bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-6-chloronicotinamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-pyridinecarboxamide;

N-[(1*R*)-6-chloro-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl]pyridine-2-carboxamide;

N-(6-Chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2-fluorobenzamide;

N-[(1R)-6-chloro-2,3,4,9-tetrahydro-1H-carbazol-1-yl]-2-fluorobenzamide;

N-(6-bromo-2,3,4,9-tetrahydro-1H-carbazol-1-yl)-2,6-difluorobenzamide; and

N-(6-bromo-2,3,4,9-tetrahydro-1*H*-carbazol-1-yl)-2-fluorobenzenesulfonamide.

- 33. (Cancelled)
- 34. (Cancelled)
- 35. (Currently amended) A pharmaceutical composition comprising a compound according to <u>any of claims 1 to 33</u> 30 to 32, and a pharmaceutically acceptable carrier.
- 36 44 Cancelled.
- 45. (Currently amended) A method for the treatment of a papovavirus infection selected from the group consisting of polyoma virus infection and papilloma virus infection comprising administering to a subject in need thereof a therapeutically effective amount of a compound according to any of claim 1 claims 30 to 32.
- 46. (Currently amended) A method for the treatment of conditions or disorders due to HPV infection selected from the group consisting of genital warts and cervical dysplasia, comprising administering to a subject in need thereof a therapeutically effective amount of a compound according to any of claim 1 claims 30 to 32.
- 47. (Cancelled)